




# RIBO

## SEARCH AND RESCUE BOAT SOLUTIONS



Offering speed and stability, Survitec offers a range of boats specifically designed for search and rescue operations in the most arduous of environments. The range includes varying sizes to suit multiple purposes and requirements, adapted to suit your operational needs. Offering complete seaworthiness, shock mitigation and low freeboard, these boats are ideal for optimising stability and manoeuvrability when critical support is required.

Designed and manufactured out of our highly successful manufacturing facility in Chevanceaux, France, the search and rescue boats are manufactured with durable neoprene fabric and a strong GRP composite hull, allowing for the transportation and rescue of liferafts with a capacity of up to 150 people.

### FEATURES

- EASILY ACCESSIBLE AND CAN BE LAUNCHED QUICKLY WITH A LIFTING SLING AND RELEASE HOOK IN ANY CIRCUMSTANCES
- ADAPTED DESIGN FOR USE ON YACHTS
- ALLOWS FOR EITHER 5 OR 6 PASSENGERS
- EQUIPMENT PROVIDED WITH BOATS INCLUDES: BOARDING LADDER, TOWING LINE, BOAT HOOK, RADAR REFLECTOR AND POSITIONING LIGHT
- RIBO 600 and FRB 600 ARE EQUIPPED WITH SELF RIGHTING SYSTEM SUITABLE FOR USE IN DIFFICULT SEAS



Designed and manufactured out of our highly successful manufacturing facility in Chevanceaux, France.

# RIBO - SEARCH & RESCUE

## RESCUE BOAT SOLUTIONS ↓

### RIBO 340

The Survitec RIBO 340 P Sling is a 'Non SOLAS' rigid/inflatable rescue boat with a capacity of up to five people.

It refers to EC Directive 2002/35/EC for fishing vessels of 24 meters and over. This is linked to the Torremolinos Convention for fishing vessels that allows Marine Administrations the possibility to accept "Non SOLAS " rescue boat under 3.80 m but over 3.30 m with a capacity of 5 people (4 seated, 1 lying).

#### Advanced features of Survitec RIBO 340

- Length 3.40m
- Launched by means of sling and approved release hook



#### TECHNICAL DATA RIBO 340

CAPACITY	5 people
DIMENSIONS L X W	3.4m x 1.71m
WEIGHT	1641.5 kg (operational)
TOWING	Bow towing points and V bridle/ Aft towing V bridle/ Transom towing points
HOISTING	Bow/ aft lifting points + sling Release hook SWL ≥ 750 kg
ENGINES	YAMAHA 25HP

### RIBO 450

This rescue boat is equipped with a righting system and can be launched using a 4-point sling and approved release hook. The 450 is a SOLAS rigid/inflatable rescue boat approved with USCG and EC approval certificates. The RIBO 450 has a capacity of 6 people with one fixed bench and two tilting benches.

#### Advanced features of Survitec RIBO 450

- Length 4.5m
- Launched by means of a four point sling and approved release hook



#### TECHNICAL DATA RIBO 450

CAPACITY	6 people
DIMENSIONS L X W	4.5m x 1.9m
WEIGHT	901 kg (operational) EC 867 kg (operational) US
TOWING	Bowing towing points & V bridle/ Aft towing V bridle / Transom towing points
RIGHTING SYSTEM	Righting bag assist
HOISTING	Bow / aft lifting points + sling Release hook SWL ≥ 950kg ≤ 1.5 ton
ENGINES	Evinrude / Yamaha / Tohatsu 25HP /40HP

# RIBO - SEARCH & RESCUE

## RESCUE BOAT SOLUTIONS ↓

### RIBO 600

The Survitec RIBO 600 can be sling launched using an appropriate release hook (SWL > 1500kg). This boat features a wheel console with jockey seat, two further jockey seats, additional seating for two further passengers and additional space for a full stretcher. The 600 is a SOLAS rigid/inflatable rescue boat approved with USCG and EC approval certificates

#### Advanced features of Survitec RIBO 600

- Length 6.00m
- Launched by means of a four point sling and approved release hook
- Self righting frame



#### TECHNICAL DATA RIBO 600

CAPACITY	6 people
DIMENSIONS L X W	6m x 2.45m
WEIGHT	1283 kg (operational)
TOWING	Bow towing points & V bridle / Aft towing V bridle / Transom towing points
RIGHTING SYSTEM	Self-righting frame + buoyancy
HOISTING	Bow / aft lifting points + sling Release hook SWL ≥ 1500 kg
ENGINES	EVINRUDE & YAMAHA 75HP / 90HP

#### FRB 600 SELF-RIGHTING SYSTEM IN ACTION



#### STORAGE SOLUTIONS

The RIBO range can be stored on:

- Aluminium tilting cradle (RIBO 450)
- Specifically designed cradle
- Rescue boat stored on a cradle with lashing



#### APPROVALS

HSC code, LSA code, EC (MED), USCG, TC, RMRS and CCS



## SETTING THE GLOBAL STANDARD FOR OVER 160 YEARS

Protecting over 1 million lives across the globe every day, our critical safety and survival solutions help marine, aviation, offshore, and defence personnel get home safely if the worst happens.

Taking responsibility for the entire product lifecycle – from precision engineering and R&D, to manufacturing and servicing – we never compromise when it comes to safety and survival. Committed to protecting lives, we know the small things matter.



### GET IN TOUCH

**Phone** +33 (0)5 40 16 19 11

**Email** [surviteczodiac@survitecgroup.com](mailto:surviteczodiac@survitecgroup.com)

[www.survitecgroup.com](http://www.survitecgroup.com)

Route de Chatenet, 17210, Chevanceaux France